Section 1 - Identification of The Material and Supplier

Sealers Plus **Phone: +61 2 9521-4000**
Unit 5, 5 Clerke Place **support@sealersplus.com.au**
Kurnell NSW 2231 Australia **http://www.sealersplus.com.au**

Chemical nature: Solvent blend.
Trade Name: **STRIP-IT**
Product Use: Heavy duty sealer and coating remover.
Creation Date: June 2022
This version issued: **October 2026** and is valid for 5 years from this date.

Poisons Information Centre: Phone 13 11 26 from anywhere in Australia

Section 2 - Hazards Identification

This material is hazardous according to the criteria of Safe Work Australia GHS 7.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

SUSMP Classification: S5

GHS Signal word: DANGER

Hazard Classifications
Acute Toxicity (Oral) - Category 4
Skin Corrosion/Irritation - Category 2
Serious Eye Damage/Eye Irritation - Category 1

HAZARD STATEMENT:

H302: Harmful if swallowed.
H315: Causes skin irritation.
H318: Causes serious eye damage.

PREVENTION

P261: Avoid breathing fumes, mists, vapours or spray.
P262: Do not get in eyes, on skin, or on clothing.
P264: Wash contacted areas thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE

P310: Immediately call a POISON CENTRE or doctor/physician.
P362: Take off contaminated clothing and wash before reuse.
P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313: If skin irritation occurs: Get medical advice.
P370+P378: In case of fire: Use carbon dioxide, dry chemical, foam, to extinguish.

STORAGE

P410: Protect from sunlight.
P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: If contents cannot be recycled, dispose of contents to an approved waste disposal plant and containers to landfill (see Section 13 of this SDS).

Emergency Overview

Physical Description & Colour: Colourless to yellowish liquid.

Odour: Characteristic odour.

Major Health Hazards: Causes serious eye damage, causes skin irritation.

Section 3 – Composition and Information on Ingredients

Ingredients	CAS No	Conc, %	TWA (mg/m³)	STEL (mg/m³)
Dipropylene glycol dimethyl ether	111109-77-4	30-40	not set	not set
Ethylene glycol phenyl ether	122-99-6	10-20	not set	not set
2-Butoxyethanol	111-76-2	5-10	96.9	242
Ethanolamine	141-43-5	5-10	7.5	15
Other non-hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non-hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term 'peak' is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Seek urgent medical attention. Flush contaminated area with lukewarm, gently flowing water for at least 60 minutes, by the clock. DO NOT INTERRUPT FLUSHING. If necessary, keep emergency vehicle waiting (show paramedics this SDS and take their advice). Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands, belts).

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for at least 20-30 minutes, by the clock, while holding the eyelid(s) open. Neutral saline solution may be used as soon as it is available. DO NOT INTERRUPT FLUSHING. If necessary, keep emergency vehicle waiting (show paramedics this SDS and take their advice). Take care not to rinse contaminated water into the unaffected eye or onto face. If irritation persists, repeat flushing. Call a Poisons Information Centre or a doctor urgently. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Immediately contact a Poisons Information Centre, or call a doctor. Wash mouth with water. If vomiting occurs naturally, lay patient on side, in recovery position as there is a chance that vomitus may enter airways causing harm to lungs.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both) fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: In case of fire, use carbon dioxide, dry chemical or foam.

Fire Fighting: When fighting fires involving significant quantities of this product, wear a splash suit complete with self-contained breathing apparatus.

Section 6 - Accidental Release Measures

Accidental Release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective chemically resistant clothing including eye/face protection, gauntlets and self-contained breathing apparatus. See Section 8 regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include butyl rubber. Eye/face protective equipment should comprise, as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, use a respirator; otherwise not normally necessary, but if in doubt consult the Australian Standard mentioned in Section 8. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 for details of personal protective measures, and make sure those measures are followed. The measures detailed below under 'Storage' should be followed during handling to minimise risks to persons using the product in the workplace. Also avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Make sure the product does not come into contact with substances listed under 'Incompatibilities' in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715 and AS/NZS 1716, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501, Industrial Eye Protection: AS 1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS 2210.

SWA Exposure Limits	CAS No	TWA (ppm)	TWA (mg/m³)	STEL (mg/m³)
2-Butoxyethanol	111-76-2		96.9	242
Ethanolamine	141-43-5		7.5	15

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used in a well-ventilated area. If natural ventilation is inadequate, use a fan.

Eye Protection: Eyes must be completely protected from this product by splash resistant goggles with face shield. All surrounding skin areas must be covered. Emergency eye wash facilities must be available close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered.

Protective Material Types: Protective clothing made from butyl rubber is suggested.

Respirator: Usually, no respirator is necessary when using this product. However, if in doubt, consult the Australian Standard mentioned above.

Eyebaths or eyewash stations should, if practical, be provided near to where this product is being handled commercially.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Colourless to yellowish liquid.
Odour:	Characteristic odour.
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Boiling Point:	Not available.
Flash point:	No data.
Upper Flammability Limit:	No data.
Lower Flammability Limit:	No data.
Flammability Class:	No data.
Volatiles:	No data.
Vapour Pressure:	No data.
Vapour Density:	No data.
Relative Density:	Approx 1.025 at 25°C
Water Solubility:	No data.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data.
Particle Characteristics:	Not applicable for liquids.
Autoignition Temperature:	No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if in doubt, contact the supplier for advice on shelf life properties.

Conditions to Avoid: None known.

Incompatibilities: Strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Local Effects: Target Organs: This product may attack the gastrointestinal system, eyes, skin. Ingredients in this product have an established TWA, so exposure by inhalation should be avoided.

Classification of Hazardous Ingredients

Ethylene Glycol Phenyl Ether: H302, H319 - Acute toxicity Category 4; Eye irritation Category 2A.

2-Butoxyethanol: H332, H312, H302, H319, H315 - Acute toxicity Category 4 (x3); Eye irritation Category 2; Skin irritation Category 2.

Ethanolamine: H332, H312, H302, H314 - Acute toxicity Category 4 (x3); Skin and eye corrosion Category 1B.

Potential Health Effects - Inhalation: Short Term Exposure: Available data indicates that this product is not harmful and is unlikely to cause discomfort or irritation. Long Term Exposure: No data available.

Potential Health Effects - Skin Contact: Short Term Exposure: Available data indicates that this product is not harmful and should present no hazard in normal use. Long Term Exposure: No data available.

Potential Health Effects - Eye Contact: Short Term Exposure: This product is corrosive to eyes. It will cause severe pain, and corrosion of the eye and surrounding facial tissues. Unless exposure is quickly treated, permanent blindness and facial scarring is likely. Long Term Exposure: No data available.

Potential Health Effects - Ingestion: Short Term Exposure: Significant oral exposure is considered unlikely. Available data shows this product is harmful, but symptoms are not available; it may be irritating to mucous membranes but is unlikely to cause more than transient discomfort. Long Term Exposure: No data available.

Carcinogen Status: SWA: No significant ingredient is classified as carcinogenic by SWA. NTP: No significant ingredient is classified as carcinogenic by NTP. IARC: 2-butoxyethanol is Class 3 - unclassifiable as to carcinogenicity to humans.

Section 12 - Ecological Information

Insufficient data to be sure of ecological status.

Section 13 - Disposal Considerations

Disposal: This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable in-house, consider controlled incineration, or contact a specialist waste disposal company.

Section 14 - Transport Information

UN Number:	None allocated
DG Class:	None allocated
Subsidiary Risk:	None allocated
Packing Group:	None allocated
Hazchem Code:	None allocated

ROAD AND RAIL TRANSPORT
Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods (ADG) Code.

MARINE TRANSPORT
Not classified as Dangerous Goods by the criteria of the IMDG Code.

AIR TRANSPORT
Not classified as Dangerous Goods by the criteria of the IATA Dangerous Goods Regulations.

Section 15 - Regulatory Information

AICIS: All of the significant ingredients in this formulation are listed on or comply with the Australian Inventory of Industrial Chemicals (AICIS).

Poisons Schedule (SUSMP): S5. The following ingredients are mentioned in the SUSMP: 2-Butoxyethanol, Ethanolamine.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature (Strip-It Technical Bulletin and label).

This revision supersedes the June 2024 SDS.

Changes in this revision: new Sealers Plus SDS format; supplier address and contact details updated to Kurnell NSW; hazard communication aligned with GHS Revision 7.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail
AICS/AIIC	Australian Inventory of Industrial Chemicals
AICIS	Australian Industrial Chemicals Introduction Scheme
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
TWA / STEL	Time Weighted Average / Short Term Exposure Limit
UN Number	United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.
IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS.
OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7.